

FIREPLACES & STOVES

we are heating 1 mio european homes

PRITY



CATALOGUE
2020

www.prity-bg.com

FIREPLACES • BOILERS • FIREBOXES • PELLET STOVES



PRITY MINI

PRITY K1 Optima

PRITY K1R



	39 x 47 x 62 cm
	48 kg
	5 kW
	Ø130 mm
	35 cm



	39 x 39 x 76 cm
	60 kg
	9 kW
	Ø130 mm
	32 cm



	45 x 38 x 75 cm
	66 kg
	9 kW
	Ø130 mm
	29 cm

Fireplaces K1

PRITY K1



45 x 38 x 76 cm



61 kg



9 kW



Ø130 mm



34 cm

PRITY K1CP



46 x 44 x 76 cm



74 kg



9 kW



Ø130 mm



34 cm

PRITY K1K



45 x 38 x 95 cm



65 kg



9 kW



Ø130 mm



34 cm



PRITY K12



49 x 45 x 76 cm



74 kg



10 kW



Ø130 mm



38 cm

PRITY K13



59 x 44 x 81 cm



88 kg



12 kW



Ø130 mm



42 cm



PRITY K2



	49 x 46 x 81 cm
	79 kg
	10 kW
	Ø130 mm
	36 cm

PRITY K2CP W10



	51 x 50 x 81 cm
	94 kg
	10+6 kW
	Ø130 mm
	36 cm

PRITY K22



	49 x 46 x 81 cm
	80 kg
	10 kW
	Ø130 mm
	36 cm



PRITY K2 with niche



	49 x 46 x 90 cm
	90 kg
	10 kW
	Ø130 mm
	36 cm

PRITY K2CP W13



	51 x 50 x 91 cm
	105 kg
	13+5 kW
	Ø130 mm
	32 cm

PRITY K22 CP



	51 x 50 x 81 cm
	91 kg
	10 kW
	Ø130 mm
	36 cm

Fireplaces K2

PRITY S1



	49 x 46 x 83 cm
	81 kg
	10 kW
	Ø130 mm
	36 cm

PRITY S1 W10



	49 x 46 x 83 cm
	85 kg
	10+6 kW
	Ø130 mm
	32 cm

PRITY S2



	49 x 46 x 83 cm
	83 kg
	10 kW
	Ø130 mm
	36 cm



PRITY S3 W13



	49 x 46 x 93 cm
	93 kg
	13+5 kW
	Ø130 mm
	32 cm

PRITY S3 W17



	57 x 53 x 93 cm
	118 kg
	17+5 kW
	Ø130 mm
	42 cm

PRITY S3 W21



	57 x 53 x 93 cm
	134 kg
	21+5 kW
	Ø130 mm
	42 cm

Fireplaces Standard

PRITY SK



	47 x 53 x 90 cm
	93 kg
	10 kW
	Ø130 mm
	35 cm

PRITY SR



	49 x 46 x 94 cm
	77 kg
	11 kW
	Ø150 mm
	37 cm



PRITY SB



	47 x 47 x 84 cm		Ø130 mm
	89 kg		35 cm
	10 kW		

PRITY SRB



	49 x 46 x 84 cm		Ø150 mm
	77 kg		37 cm
	11 kW		

PRITY AMB



	72 x 55 x 72 cm		Ø150 mm
	89 kg		40 cm
	12 kW		

PRITY MB



	68 x 47 x 78 cm		Ø150 mm
	106 kg		44 cm
	13 kW		

PRITY AM



	72 x 55 x 82 cm
	93 kg
	12 kW
	Ø150 mm
	40 cm

PRITY CMR



	66 x 55 x 90 cm
	138 kg
	15 kW
	Ø150 mm
	44 cm

PRITY MR



	68 x 47 x 87 cm
	103 kg
	10 kW
	Ø150 mm
	41 cm

Special fireplaces

PRITY WD E



	65 x 55 x 91 cm
	121 kg
	15 kW
	Ø130 mm
	45 cm

PRITY WD



	65 x 55 x 78 cm
	119 kg
	15 kW
	Ø130 mm
	45 cm

PRITY



	65 x 55 x 116 cm
	135 kg
	15 kW
	Ø130 mm
	45 cm



PRITY W17



	65 x 55 x 116 cm
	130 kg
	17+8 kW
	Ø130 mm
	44 cm

PRITY WD W24



	65 x 55 x 93 cm
	152 kg
	23+6 kW
	Ø130 mm
	44 cm

PRITY WD W29



	65 x 55 x 115 cm
	183 kg
	29+8 kW
	Ø130 mm
	44 cm

Fireplaces Prity

PRITY FM



	49 x 46 x 93 cm		
	97 kg		
	12 kW		
	Ø130 mm		36 cm
	34 x 37 x 19 cm		

PRITY FG



	57 x 53 x 93 cm		
	120 kg		
	14 kW		
	Ø130 mm		43 cm
	39 x 41 x 19 cm		

PRITY FG W15



	57 x 53 x 93 cm		
	136 kg		
	15+5 kW		
	Ø130 mm		43 cm
	37 x 40 x 19 cm		



PRITY FGR



	57 x 53 x 103 cm		
	120 kg		
	14 kW		
	Ø130 mm		43 cm
	39 x 41 x 19 cm		

PRITY FG W18 R



	57 x 53 x 105 cm		
	150 kg		
	18+5 kW		
	Ø130 mm		43 cm
	37 x 40 x 19 cm		

PRITY FG W20



	65 x 55 x 115 cm		
	187 kg		
	20+6 kW		
	Ø130 mm		44 cm
	39 x 41 x 19 cm		

Fireplaces with oven



PRITY 1P34



	75 x 45 x 80 cm		Ø130 mm
	76 kg		34 cm
	10 kW		34 x 38 x 20 cm

PRITY 1P34L



	75 x 45 x 80 cm		Ø130 mm
	67 kg		34 cm
	10 kW		34 x 38 x 20 cm

PRITY 2P41



	91 x 56 x 80 cm		Ø130 mm
	110 kg		44 cm
	15 kW		41 x 49 x 21 cm

PRITY 2P41 /with door/



	91 x 56 x 80 cm		Ø130 mm
	115 kg		44 cm
	15 kW		41 x 49 x 21 cm



PRITY 2P41 /door & holder/



	91 x 56 x 80 cm		Ø130 mm
	116 kg		44 cm
	15 kW		41 x 49 x 21 cm

PRITY 2P50



	99 x 60 x 80 cm		Ø130 mm
	116 kg		47 cm
	16 kW		50 x 52 x 22 cm

Cooking stoves

PRITY M18 NP



	57 x 51 x 96 cm
	140 kg
	18 kW
	Ø130 mm
	38 cm

PRITY G26 NP



	57 x 51 x 115 cm
	159 kg
	26 kW
	Ø130 mm
	38 cm

PRITY G33 NP



	57 x 51 x 125 cm
	177 kg
	33 kW
	Ø150 mm
	38 cm

**PRITY
Pellet burners
20kW , 33kW & 50kW**

**"S" Models - for
sunflower pellets**



PRITY PB20 / PB20S



	29 x 57 x 35 cm
	20 kg
	5 - 20 kW
	1,3 - 4,5 kg
	200 m ²

PRITY PB33 / PB33S



	29 x 57 x 35 cm
	21 kg
	7 - 33 kW
	1,8 - 6 kg
	300 m ²

PRITY PB50 / PB50S



	29 x 61 x 35 cm
	22 kg
	10 - 50 kW
	2,3 - 9 kg
	500 m ²

PRITY LB50 NP & PB50



PRITY SLB NP



	60 x 84 x 103 cm
	201 kg
	33 kW
	Ø150 mm
	70 cm

PRITY LB NP



	57 x 107 x 125 cm
	278 kg
	40 kW
	Ø150 mm
	94 cm

PRITY LB50 NP



	57 x 107 x 138 cm
	324 kg
	50 kW
	Ø150 mm
	94 cm



PRITY M



	70 x 47 x 76 cm		Ø150 mm
	91 kg		46 cm
	13 kW		

PRITY VM



	50 x 52 x 90 cm		Ø150 mm
	73 kg		39 cm
	13 kW		



PRITY 0 (Left/Right)



	70 x 40 x 63 cm		Ø200 mm
	75 kg		59 cm
	10 kW		



PRITY A



	101 x 65 x 73 cm		Ø200 mm
	116 kg		48 cm
	14 kW		

PRITY G



	75 x 58 x 78 cm		Ø200 mm
	119 kg		53 cm
	16 kW		

Fireboxes to build-in



PRITY CM



	58 x 50 x 72 cm		Ø150 mm
	90 kg		44 cm
	13 kW		



PRITY AC



	66 x 55 x 79 cm		Ø200 mm
	92 kg		53 cm
	14 kW		

PRITY AC W20



	66 x 63 x 88 cm		Ø200 mm
	133 kg		53 cm
	20+5 kW		

Fireboxes to build-in



PRITY C



	66 x 57 x 72 cm		Ø200 mm
	114 kg		53 cm
	15 kW		

PRITY C W28



	66 x 57 x 88 cm		Ø200 mm
	161 kg		53 cm
	28+5 kW		

PRITY ATC




	108 x 70 x 68 cm		Ø200 mm
	141 kg		58 cm
	14 kW		

PRITY ATC W20



	108 x 75 x 81 cm		Ø200 mm
	194 kg		58 cm
	21+5 kW		



PRITY TC



	108 x 59 x 67 cm		Ø200 mm
	156 kg		58 cm
	16 kW		

PRITY TC W28



	108 x 59 x 83 cm		Ø200 mm
	214 kg		58 cm
	28+5 kW		

Fireboxes to build-in



PRITY 3C



	77 x 59 x 72 cm		Ø200 mm
	133 kg		58 cm
	16 kW		

PRITY 2C



	66 x 70 x 69 cm		Ø200 mm
	133 kg		53 cm
	16 kW		


Fireboxes to build-in

PRITY CF





	66 x 61 x 117 cm		Ø200 mm
	150 kg		53 cm
	10+8 kW		Ø120 mm

CHARACTERISTIC OF THE THERMOSTAT



CHARACTERISTIC OF THE FAN



PRITY TCF



	108 x 60 x 114 cm		Ø200 mm
	190 kg		58 cm
	10+8 kW		Ø120 mm



PRITY PMV



46 x 41 x 120 cm



79 kg



11 kW



Ø150 mm



40 cm

PRITY PMV3



46 x 41 x 120 cm



76 kg



11 kW



Ø150 mm



40 cm





PRITY PM



	69 x 39 x 92 cm		Ø150 mm
	102 kg		50 cm
	13 kW		

PRITY PM3



	69 x 39 x 92 cm		Ø150 mm
	94 kg		50 cm
	13 kW		

Fireplaces Prity panorama



PRITY PM3L



69 x 39 x 92 cm



Ø150 mm



94 kg



50 cm



13 kW



Fireplaces Prity panorama



PRITY P



	86 x 41 x 77 cm		Ø200 mm
	106 kg		63 cm
	13 kW		

PRITY P W18



	89 x 41 x 79 cm		Ø200 mm
	140 kg		63 cm
	18+5 kW		



PRITY PS2



	70 x 40 x 71 cm		Ø200 mm
	86 kg		52 cm
	10 kW		

PRITY PS3



	70 x 40 x 71 cm		Ø200 mm
	85 kg		52 cm
	10 kW		



PRITY PL







49 x 57 x 117 cm



137 kg



12 kW




Ø80 mm



24 kg



CHARACTERISTIC OF THE ROOM FAN



Model	PL	
Pellet tank capacity , l/kg	40/24	
Flue gas temperature , °C	60 - 130	
Energy efficiency , %	90 - 94	
POWER	kW	kg/h*
1	3.6	0.8
2	5.7	1.25
3	7.8	1.7
4	9.9	2.15
5	12	2.6
CO emissions , %	0.018	
Noise , dB(A)	58	

* Pellet consumption



Pellet Stoves



PRITY PLM





	42 x 48 x 74 cm
	55 kg
	5 kW
	Ø80 mm
	7,5 kg

PRITY PLS





	66 x 28 x 97 cm
	76 kg
	8 kW
	Ø80 mm
	13,5 kg



TOUCH SCREEN

Model		PLS	
Pellet tank capacity , kg		13,5	
Flue gas temperature , °C		115	
Energy efficiency , %		90,1	
POWER		kW	kg/h*
1		2,3	0,5
2		5,1	1,11
3		8,0	1,75
CO emissions , %		0.0199	

* Pellet consumption

Pellet Stoves




PRITY PLW11







	56 x 56 x 88 cm
	128 kg
	11+2 kW
	Ø80 mm
	18 kg






PRITY PLW18







	56 x 55 x 97 cm
	148 kg
	18+2 kW
	Ø100 mm
	28 kg





Pellet Stoves




PRITY PLW 18B



	56 x 55 x 97 cm
	150 kg
	19+1 kW
	Ø100 mm
	28 kg

PRITY PLW 25B




	56 x 60 x 99 cm
	170 kg
	26+1 kW
	Ø100 mm
	30 kg

PRITY PLW 35B



	58 x 63 x 116 cm
	213 kg
	35+1 kW
	Ø100 mm
	47 kg

Pellet Stoves





Model	KPW11	
Dimensions , cm	49 x 62 x 119	
Weight , kg	103	
Flue diameter , mm	80	
Pellet tank capacity , kg	18	
Flue gas temperature , °C	83 - 100	
Energy efficiency , %	93,1	
POWER	kW	kg/h*
1	4,4 (3,2+1,2)	0,92
2	6,8 (5,3+1,5)	1,41
3	9,1 (7,4+1,7)	1,93
4	11,5 (9,5+2)	2,46
5	13,8 (11,6+2,2)	2,96
CO emissions , %	0,0107	

* Pellet consumption



EN 14785:2006

BlmSchV2

15a B-VG



Model		KPW24
Dimensions , cm		55 x 69 x 134
Weight , kg		168
Flue diameter , mm		100
Pellet tank capacity , kg		30
Flue gas temperature , °C		83 - 135
Energy efficiency , %		92
POWER		kWkg/h*
1	8,6 (7,1+1,5)	1,4
2	13,4 (11,5+2)	2,3
3	18,3 (15,8+2,5)	3,2
4	23,1 (20,2+2,9)	4,1
5	27,9 (24,5+3,4)	5,0
CO emissions , %		0,0139

* Pellet consumption



EN 14785:2006


BlmSchV2

15a B-VG



FERRARI

PRITY PP



SATEN



MESSING

Fireplaces Prity panorama



PRITY LUX



Ø125 x 245 ÷ 315 cm



18 kW



55 cm



190 kg



200

Fireplaces Prity panorama 



PRITY K2 RK

PRITY K1 RK

	73 x 47 x 63 cm		Ø130 mm
	120 kg		32 cm
	9 kW		

PRITY K2 RK

	73 x 47 x 87 cm		Ø130 mm
	153 kg		32 cm
	10 kW		

Fireplaces with terracotta



PRITY FMS-RK

PRITY FM RK







	73 x 47 x 111 cm		Ø130 mm
	225 kg		32 cm
	12 kW		

PRITY S3W13 K







	73 x 47 x 99 cm		Ø130 mm
	220 kg		32 cm
	13+5 kW		

Fireplaces with terracotta

FIREPLACES K1	kW			
PRITY K1 optima	9	130	39 x 39 x 76	60
PRITY Mini	5	130	39 x 47 x 62	48
PRITY K1	9	130	45 x 38 x 76	61
PRITY K1 E	9	130	45 x 38 x 84	62
PRITY K1 K	9	130	45 x 38 x 95	65
PRITY K1 R	9	130	45 x 38 x 75	66
PRITY K12	10	130	49 x 45 x 76	74
PRITY K13	12	130	59 x 44 x 81	88
PRITY K1 W8	8+6	130	45 x 40 x 76	65
PRITY K1 CP	9	130	46 x 44 x 76	74
PRITY K1 CP W8	8+6	130	46 x 44 x 76	74
FIREPLACES K2	kW			
PRITY K2	10	130	49 x 46 x 81	79
PRITY K2 with niche	10	130	49 x 46 x 90	90
PRITY K2 CP	10	130	51 x 50 x 81	90
PRITY K2 CP W10	10+6	130	51 x 50 x 81	94
PRITY K2 CP W13	13+5	130	51 x 50 x 91	105
PRITY K2 CP W13 E	13+5	130	51 x 50 x 103	107
PRITY K22	10	130	49 x 46 x 81	80
PRITY K22 E	10	130	49 x 46 x 92	82
PRITY K22 CP	10	130	51 x 50 x 81	91
PRITY K22 CP W10	10+6	130	51 x 50 x 81	95
FIREPLACES STANDARD	kW			
PRITY S1	10	130	49 x 46 x 83	81
PRITY S2	10	130	49 x 46 x 83	83
PRITY S1 W10	10+6	130	49 x 46 x 83	85
PRITY S2 W10	10+6	130	49 x 46 x 83	86
PRITY S3 W13	13+5	130	49 x 46 x 93	93
PRITY S3 W17	17+5	130	57 x 53 x 93	118
PRITY S3 W21	21+5	130	57 x 53 x 93	134
PRITY SR	11	150	49 x 46 x 94	77
PRITY SRB	11	150	49 x 46 x 84	77
PRITY SK	10	130	47 x 53 x 90	93
PRITY SB	10	130	47 x 47 x 84	89
PRITY SK W10	10+6	130	47 x 53 x 90	98
PRITY SB W10	10+6	130	47 x 47 x 84	92
SPECIAL FIREPLACES	kW			
PRITY AM	12	150	72 x 55 x 82	93
PRITY AMB	12	150	72 x 55 x 72	89
PRITY AM W12	12+6	150	72 x 55 x 82	113
PRITY CMR	15	150	66 x 55 x 90	138
PRITY MB	13	150	68 x 47 x 78	106
PRITY MR	10	150	68 x 47 x 87	103
FIREPLACES WITH OVEN	kW			
PRITY FM	12	130	49 x 46 x 93	97
PRITY FM E	12	130	49 x 46 x 105	99
PRITY FG	14	130	57 x 53 x 93	120
PRITY FGR	14	130	57 x 53 x 103	120
PRITY FG W15	15+5	130	57 x 53 x 93	136
PRITY FG W18 R	18+5	130	57 x 53 x 105	150
PRITY FG W20	20+6	130	65 x 55 x 115	187
PRITY FR	14	130	80 x 61 x 86	118
FIREPLACES PRITY	kW			
PRITY	15	130	65 x 55 x 116	135
PRITY WD	15	130	65 x 55 x 78	119
PRITY WD E	15	130	65 x 55 x 91	121
PRITY W17	17+8	130	65 x 55 x 116	130
PRITY WD W15	15+7	130	65 x 55 x 78	115
PRITY WD W24	23+6	130	65 x 55 x 93	152
PRITY WD W29	29+8	130	65 x 55 x 115	183

COOKING STOVES	kW			
PRITY GS	-	80	62 x 38 x 46	34
PRITY 1P34	10	130	75 x 45 x 80	76
PRITY 1P34 L	10	130	75 x 45 x 80	67
PRITY CP34	10	130	75 x 45 x 80	70
PRITY 2P41	15	130	91 x 56 x 80	110
PRITY 2P50	16	130	99 x 60 x 80	116
PRITY 1P41 W12	12+4	130	91 x 56 x 80	115
BOILERS	kW			
PRITY M18 NP	18	130	57 x 51 x 96	140
PRITY G26 NP	26	130	57 x 51 x 115	159
PRITY G33 NP	33	150	57 x 51 x 125	177
PRITY SLB NP	33	150	60 x 84 x 103	201
PRITY LB NP	40	150	57 x 107 x 125	278
PRITY LB50 NP	50	150	57 x 107 x 138	324
FIREBOXES TO BUILD IN	kW			
PRITY M	13	150	70 x 47 x 76	91
PRITY M W18	18+5	200	70 x 59 x 71	125
PRITY M W22	22+5	200	70 x 52 x 85	146
PRITY VM	13	150	50 x 52 x 90	73
PRITY VM W15	15+5	200	50 x 52 x 90	104
PRITY A	14	200	101 x 65 x 73	116
PRITY A W16	16+5	200	101 x 69 x 73	125
PRITY A W20	21+5	200	101 x 70 x 79	172
PRITY G	16	200	75 x 58 x 78	119
PRITY G W18	18+5	200	75 x 58 x 76	129
PRITY G W28	28+5	200	75 x 58 x 87	152
PRITY O	10	200	70 x 40 x 63	75
PRITY CM	13	150	58 x 50 x 72	90
PRITY AC	14	200	66 x 55 x 79	92
PRITY AC W20	20+5	200	66 x 63 x 88	133
PRITY C	15	200	66 x 57 x 72	114
PRITY 2C	16	200	66 x 70 x 69	133
PRITY 3C	16	200	77 x 59 x 72	133
PRITY C W18	18+5	200	66 x 57 x 72	144
PRITY C W28	28+5	200	66 x 57 x 88	161
PRITY C W35	35+5	200	66 x 57 x 115	198
PRITY 2C W28	28+5	200	66 x 70 x 84	185
PRITY 3C W28	28+5	200	77 x 59 x 102	196
PRITY 3C W35	35+5	200	80 x 73 x 114	251
PRITY ATC	14	200	108 x 70 x 68	141
PRITY ATC W20	21+5	200	108 x 75 x 81	194
PRITY TC	16	200	108 x 59 x 67	156
PRITY TC W28	28+5	200	108 x 59 x 83	214
PRITY TC W35	35+5	200	108 x 59 x 99	236
FIREBOXES TO BUILD IN WITH FAN	kW			
PRITY CF	10+8	200	66 x 61 x 117	150
PRITY 2CF	10+8	200	73 x 73 x 113	188
PRITY TCF	10+8	200	108 x 60 x 114	190
PRITY TC2F	12+8	200	108 x 60 x 131	215
FIREPLACES PRITY PANORAMA	kW			
PRITY PM	13	150	69 x 39 x 92	102
PRITY PM3	13	150	69 x 39 x 92	94
PRITY PM3L	13	150	69 x 39 x 92	94
PRITY PMV	11	150	46 x 41 x 120	79
PRITY PMV3	11	150	46 x 41 x 120	76
PRITY P	13	200	86 x 41 x 77	106
PRITY PW18	18+5	200	89 x 41 x 79	140
PRITY PS2	10	200	70 x 40 x 71	86
PRITY PS3	10	200	70 x 40 x 71	85
PRITY P TV	13	200	78 x 47 x 77	113

PRITY PW18 TV	18+5	200	78 x 47 x 79	125
PRITY PP	10	130	49 x 44 x 95	88
PRITY LUX	18	200	Ø125 x 245÷315	190
PELLET STOVES	kW			
PRITY PLM	5	80	42 x 48 x 74	55
PRITY PLS	8	80	66 x 28 x 97	76
PRITY PL	12	80	49 x 57 x 117	137
PRITY PLW11	11+2	80	56 x 56 x 88	128
PRITY PLW18	18+2	100	56 x 55 x 97	148
PRITY PLW18B	19+1	100	56 x 55 x 97	150
PRITY PLW25B	26+1	100	56 x 60 x 99	170
PRITY PLW35B	35+1	100	58 x 63 x 116	213
PRITY KPW11	11+2	80	49 x 62 x 119	103
PRITY KPW24	24+3	100	55 x 69 x 134	168
FIREPLACES WITH TERRACOTTA	kW			
PRITY K1 RK	9	130	73 x 47 x 63	120
PRITY K2 RK	10	130	73 x 47 x 87	153
PRITY FMS RK	12	130	73 x 47 x 88	162
PRITY FM K	12	130	73 x 47 x 111	225
PRITY S3W13 K	13+5	130	73 x 47 x 99	220

Legend	
	Fireplace dimensions /cm/ (width x depth x height)
	Fireplace weight /kg/
kW	Fireplace power /kW/
	Flue diameter /mm/
	Maximum log length /cm/
	Oven dimensions /cm/
	Airflow pipe diameter /cm/
	Pellet tank capacity /kg/
	Heating area /m²/
	Available colors

Как да изберем правилната пелетна камина спрямо отопляемата площ

Модел	PLM	PLS	PL	PLW11	PLW18	PLW25B	PLW35B	KPW11	KPW24
Мошност, обща, kW	1,6÷5	2,5÷8	4÷12	4÷13	6,7÷20	9÷27	12÷36	4÷13	9÷27
Отопляема площ, m²	20÷40	30÷60	60÷80	70÷130	120÷180	160÷250	200÷350	70÷130	150÷230
Отопляем обем, m³	90	140	200	300	500	700	900	300	650

Посочените данни се отнасят за пелети клас EN + A1, с калоричност 5 kW/kg.



PRITY S1 W10



	49 x 46 x 83 cm
	96 kg
kW	10+6 kW
	Ø130 mm
	32 cm

PRITY W17



	65 x 55 x 116 cm
	139 kg
kW	17+8 kW
	Ø130 mm
	44 cm



PRITY



www.prity-bg.com

©2020 PRITY 95 Ltd. Bulgaria